APTOOLS
Arab Pros For Machinery & Equipment

Product Catalog
2026-11-15 03:10 AM
www.aptools.sa

Contact: 0552822719
sales@aptools.sa
Al Shati, Dammam, Saudi Arabia

5 Piece Combo Kit: Air Compressor, Pneumatic Impact Wrench, Air Hose 40 Meter, Impact Socket Set, Air Gun

Brand:
SKU:
Warranty:

Specifications

Euromatic 55895296 Air Compressor	
PUMP	NG4 CT
WHEELS	YES
AIR DISPLACEMENT LT	MIN-CFM / 541 - 19.1
MOTOR HP-KW	4 - 3
RPM	1400
VOLTAGE POWER	400/60
PHASE	3
PRESSURE MAX BAP-PSI	10 - 145
SIZE	155x57x112
Speedaire 2TEH3 Air Gun	
Air Gun Product Group	Air Gun
Air Gun Body Style	Pistol Grip
Air Gun Inlet Size	1/4 in (F)NPT
Extension Size	12 in
Trigger	Lever
Output	1.92 lbf
Max. Inlet Pressure	120 psi
Air Consumption	35 scfm
Outlet Size	1/2"-20 in UNF
Nozzle	Safety
Nozzle Length	1 3/4 in
Body Material	Aluminum
Color	Aluminum and Green

Max. dBA	97
Application	High Flow
Includes	12 in Extension with High Flow Safety Nozzle
Overall Length	16 1/2 in
Toku MI-17M Pneumatic Impact Wrench	
Drive (in)	1/2
Bolt size (mm)	16
Torque Range (kg.m)	25-45
Max Torque	R55 L60
Net weight	2.5
Overall length	179
Center Height (mm)	33
free speed (rpm)	5500
Air cons (m	mln) / Free: 0.6
load: 0.5	
Air init (PT)	1/4
Hose size (in)	3/8
Camita 45152 Air Compressor Hose	
Thickness	8 / 14
1 Roll	40 meter
Westward 4PRG6 Impact Socket Set	
Material	Alloy Steel
Finish	Black Oxide
Drive Size	1/2 in
Impact Rated	Yes
Socket Depth	Standard
Socket Shape	6-Point
Includes Standard Sockets	Yes
Standard Socket Style	Size / Standard 6-Point: 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm, 20 mm, 21 mm, 22 mm, 23 mm, 24 mm, 25 mm, 26 mm, 27 mm, 28 mm, 29 mm, 30 mm, 32 mm, 33 mm, 34 mm, 35 mm, 36 mm
Standard Socket Count	Style / (26) 6-Point
Includes Deep Sockets	No
Deep Socket Count	Style / None
Drive Type	Impact

Socket Size	10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm, 20 mm, 21 mm, 22 mm, 23 mm, 24 mm, 25 mm, 26 mm, 27 mm, 28 mm, 29 mm, 30 mm, 32 mm, 33 mm, 34 mm, 35 mm, 36 mm
Compatible Fastener Type	Bolts
Container Type	Plastic Case
Measurement Type	Metric
Non-Magnetic	No
Number of Pieces	26
Socket Size Range	10 to 36 mm
Standards	ANSI B107.2-2002
Tether Ready	No
Container Features	Dust Resistant
Container LxWxH	17 in x 12 29/32 in x 3 19/64 in
Includes	Blow Molded Case
Insulated	No
Locking	No
Non-Sparking	No
Weight	143.93 KG
Weight	143.93 KG